



# PROTREAT 526

## Scale & Corrosion Inhibitor

### FEATURES

- Non-pollutant at use concentration levels
- Effective over a wide range conditions
- Suitable for direct injection into systems
- Heavy metals free
- HALAL approved

### AREAS OF USE

- Hot or chilled water closed loop recirculating systems
- Process cooling - closed loop systems
- Refrigeration systems
- Industrial radiator systems

### PRODUCT ENQUIRIES

Customer Service: **1800 334 679**

[jasolcsteam@gwf.com.au](mailto:jasolcsteam@gwf.com.au)

For further information regarding product safety and handling, refer to the Safety Data Sheet and product label.

### DESCRIPTION

PROTREAT 526 is a molybdate based corrosion protection product designed for one-shot treatment of hot and cold water recirculating systems.

PROTREAT 526 contains no heavy metals or phosphates and has been formulated as a low pollutant inhibitor. PROTREAT 526 has good capacity to handle air in-leakage where an expansion tank is open to atmosphere.

### DIRECTIONS FOR USE

Use at a rate of 40g/L. PROTREAT 526 is not restricted by temperature or pH variation and is equally effective in soft or hard water conditions.

PROTREAT 526 has good compatibility with and may be used with glycol based anti-freeze systems.

Please, consult your Jasol representative for further information.

### SAFETY INFORMATION

PROTREAT 526 is classified as Hazardous according to the GHS.

PROTREAT 526 is NOT classified as Dangerous Goods according to the ADG Code (7<sup>th</sup> Ed).

PROTREAT 526 is a Scheduled Poison according to the SUSMP.

Avoid contact with skin. Refer to SDS for further information.

#### FIRST AID INFORMATION

If poisoning occurs contact a doctor or **Poisons Information Centre Australia, Phone 13 11 26**.

If swallowed do NOT induce vomiting. Wash out mouth thoroughly with water and seek immediate medical attention. If in eyes, hold eyelids apart and flood with water for at least 15 minutes. If on skin, remove contaminated clothing and wash affected area with running water. Seek immediate medical attention.

**24 HOUR TOLL FREE EMERGENCY PHONE NO: 1800 629 953**

### PHYSICAL & CHEMICAL PROPERTIES

<b>FORM</b>	Liquid
<b>COLOUR</b>	Green
<b>ODOUR</b>	Product Characteristic Smell
<b>pH</b>	8.0
<b>SPECIFIC GRAVITY</b>	1.10 at 20°C
<b>FLAMMABILITY</b>	Not Flammable



2141430

